





1.



2. **CRITERIA: BASE FILM (BIZCard/ 50MB)**

S/No.	ITEM	SILKSCREEN	OFFSET
1.	Base Film	<b>Positive. Emulsion up.</b>	
2.	Color Code	Indicate on film (See Above)	
3.	Cross Mark	Same location for all film (Line width 0.1mm & Length 5mm)	
4.	(A) Center Hole	No printing area 2 Choices * Ø 18.50 mm * Ø 35.50 mm	

3.



4. **CRITERIA: COLOR FILM (BIZCard/ 50MB)**

S/No.	ITEM	SILKSCREEN	OFFSET
1.	Half-Tone	(Max. 100 lines/ inch) (Tonal range: 15% - 85%)	(Max. 150 lines/ inch) (Tonal range: 15% - 85%)
2.	Color Film	Positive. Emulsion up	Negative. Emulsion down
3.	Lettering/ Min. requirement	Line rules 0.15mm/ Dots size 0.15/ Type size 1.5mm/ Spacing 0.3mm	
4.	Color Code	Indicate on film (See Above)	
5.	Color-Proof	Require	
6.	Art Work Dot Grain Size	Equivalent to that of film	
7.	Cross Mark	Same location for all film (Line width 0.1mm & Length 5mm)	
8.	(A) Center Hole	No printing area 2 Choices * Ø 18.00 mm * Ø 35.00 mm	